



11/03/00

UTILITY PATENT APPLICATION TRANSMITTAL

(Only for new nonprovisional applications
under 37 CFR 1.53(b))

Attorney Docket No.

001475

Total Pages

First Named Inventor or Application Identifier


Yasuhito TAIRA

Express Mail Label No.

Check Box, if applicable [] Duplicate

APPLICATION ELEMENTS FOR:
PROCESSOR

ADDRESS TO: Director of Patents and Trademarks
BOX PATENT APPLICATIONS
Washington, D.C. 20231

JC825 U.S. PTO
09/704558

11/03/00

1. ☒ Fee Transmittal Form (Incorporated within this form)
(Submit an original and a duplicate for fee processing)
2. ☒ Specification Total Pages [17]
3. ☒ Drawing(s) (35 USC 113) Total Sheets [14]
4. ☒ Oath or Declaration Total Pages [5]
 - a. ☒ Newly executed (original)
 - b. ☐ Copy from prior application (37 CFR 1.63(d)
(for continuation/divisional with Box 17 completed).
 - i. ☐ Deletion of Inventor(s)
Signed statement attached deleting inventor(s) named in prior application,
see 37 CFR 1.63(d)(2) and 1.33(b).
5. ☐ Incorporation by reference (useable if box 4b is checked)
The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.
6. ☐ Microfiche Computer Program (Appendix)
7. ☐ Nucleotide and/or Amino Acid Sequence Submission (if applicable, all necessary)
 - a. ☐ Computer Readable Copy
 - b. ☐ Paper Copy (identical to computer copy)
 - c. ☐ Statement Verifying identity of above copies

ACCOMPANYING APPLICATION PARTS

8. ☒ Assignment Papers (cover sheet and document(s))
9. ☐ 37 CFR 3.73(b) Statement (when there is an assignee) ☒ Power of Attorney

UTILITY PATENT
APPLICATION TRANSMITTAL

(Only for new nonprovisional applications
under 37 CFR 1.53(b))

Attorney Docket No. 001475

First Named Inventor or Application Identifier

Yasuhito TAIRA

PAGE 2 OF 3

10. ☐ English translation Document (if applicable)

11. ☐ Information Disclosure Statement ☐ Copy of IDS Citation

12. ☐ Preliminary Amendment

13. ☒ Return Receipt Postcard (MPEP 503)

14. ☐ Small Entity Status is claimed.

15. ☒ Claim for Convention Priority ☒ Certified copy of Priority Document

a. Priority of _____ application no. _____ filed on _____ is claimed under 35 USC 119.

The certified copies/copy have/has been filed in prior application Serial No. _____.

(For Continuing Applications, if applicable).

16. ☐ Other _____

17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information:

☐ Continuation ☐ Division ☐ Continuation-in-part (CIP) of prior application no. ____/____

FEE TRANSMITTAL	Number Filed	Number Extra	Rate	Basic . . Fee
The filing fee is calculated below				\$710.00
Total Claims	4 - 20		x \$18.00	
Independent Claims	1 - 3		x \$80.00	
Multiple Dependent Claims			\$270.00	
Basic Filing Fee				\$ 710.00
Reduction by 1/2 for small entity				
Fee for recording enclosed Assignment			\$40.00	\$ 40.00
TOTAL				\$ 750.00

**UTILITY PATENT
APPLICATION TRANSMITTAL**

(Only for new nonprovisional applications
under 37 CFR 1.53(b))

Attorney Docket No.

001475

First Named Inventor or Application Identifier

Yasuhito TAIRA

PAGE 3 OF 3

☒ A check in the amount of \$ 750.00 is enclosed to cover the filing fee of \$ 710.00 and the assignment recordation fee of \$40.00.

☐ Please charge our Deposit Account No. **01-2340** in the total amount of _____ to cover the filing fee and the _____ assignment recordation fee. A duplicate of this sheet is attached.

☒ The Commissioner is hereby authorized to charge payment for any additional filing fees required under 37 CFR 1.16 or credit any overpayment to Deposit Account No. **01-2340**. A duplicate of this sheet is attached.


18 CORRESPONDENCE ADDRESS:

SUBMITTED BY

Typed or Printed Name **Ronald F. Naughton**

Reg. No. 24,616

Signature



Date: November 3, 2000

RFN/II

PROCESSOR

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

 The present invention relates to a processor for an interactive system in which input is made through a web browser of a client and the processing of the input is carried out on a server side, and more particularly to
10 a processor configured so as to separate, for storage, a display control file, related to what is displayed on the screen, in a CGI script from other scripts.

2. Description of the Related Art

 There exists a system for executing various
15 processes by connecting various types of devices to each other through a local area network, or LAN, and executing mutual communications between the devices. For example, there is a page printer for offline printing jobs of a large-scale general purpose computer via a magnetic tape
20 or LAN.

 In this page printer, a controller and an operation terminal unit such as a personal computer are connected to a LAN connected in turn to host computers. Then, a printer device including a plurality of printers
25 and a magnetic tape device needed for an offline operation are connected to the controller, and the controller can be provided with a flexible system configuration in which the controller can mutually deal with a multiplicity of host computers and can be
30 connected to a plurality of printers.

 In this page printer system configuration, the controller functions as a server, while the operation terminal unit as a client. Here, in a case where a world wide web format, or a WWW format, is adopted, the
35 operation terminal unit uses a Web browser.

 Interactive processing can be executed by following a Web page displayed on the screen of the

operation terminal unit which functions as the client.
For example, in a case where a user is registered to use
the page printer system, an operator presses required
operation buttons while following an operation display
appearing on the screen of the operation terminal unit.
When the screen displays a user registration display,
inputs for user registration are carried out on the
display. Thus, a new user is registered on the
controller through the operation of the operator, and
from then on, the page printer can be used using the
registered name of the user.

In this type of page printer, following the
interactive system, inputs are made through the Web
browser and the server executes required processing in
response to the inputs. To make this happen, the
controller functioning as the server is provided with a
CGI script. The CGI script receives input information
inputted from a Web page of the client, analyzes it and
activates required processing programs in response to the
results of the analysis. Additionally, the CGI script
generates and processes a hypertext markup language
document, or an HTML document, for the Web page so as to
inform the user of the results of the processing and
outputs information thereon to the Web browser. Then, in
the Web browser, the information so outputted is
displayed on the Web page, and the process advances to
the following step.

The CGI script provided on the server for the
page printer system includes analysis of inputs,
execution of processed programs, control of screen and
the like. Thus, as the number of Web pages to be
displayed on the screen increases, the processing of the
CGI script becomes complicated, and therefore the load is
increased. Then, in a case where the display of the Web
page must be changed with respect to the display design,
a change in the description of the CGI script will
result.

To cope with this, in order to change a portion of the CGI script in association with the display control, a modifying person needs to know very well the description of the CGI script with respect to the display control, processing programs and the like. Furthermore, even if a part of the CGI script must be changed, in conjunction of a required modification, there may occur a risk of erroneously modifying the description of the CGI script for a portion which should not be modified or, in contrast, there may occur a risk of failing to modify portions which relate to each other with respect to a required modification, and when those problems happen actually, the quality of the system will be affected largely and adversely.

The same thing can be said not only when the portion of the CGI script relating to the display control but also other portions thereof must be changed.

Thus, as has been described above, in the server for the prior art page printer, the CGI script is configured as an integral part, and the description with respect to the Web page control is deeply related to the descriptions with respect to other controls.

The present invention was made in view of these situations, and an object thereof is to provide a CGI script for a server which is configured such that a description for only a display control division can be changed, for example, when only the display control of a Web page is to be changed and whereby, even when another control division is being changed, an operation of changing the display control division can be performed in parallel.

SUMMARY OF THE INVENTION

With a view to solving the aforesaid problems, according to an aspect of the present invention, there is provided a server controller connected to a LAN, adapted to configure an interactive system together with an operation terminal unit to which inputs are made through

a Web browser and having at least a Web server division,
a CGI script division and a processing program division,
the server controller being characterized in that the
server controller is configured so as to have a display
5 control file for each Web page which describes Web page
control information for display on the operation terminal
unit, wherein the CGI script control division is
configured so as to analyze the control information of
the display control file designated by the Web page, to
10 execute and process a processing program in the
processing program division and to output results of the
execution and process of the process program to the Web
browser.

Moreover, in the display control files, the display
15 control information of the Web page is described
separately in a file control division and an HTML
division.

By configuring the server controller as described
above, names of processing programs to be activated for
20 collection of information to display the Web pages and
system control and methods for displaying results of the
processing on the Web pages can be described in the
display control files in the form of scripts, whereby the
Web display control division, the CGI script division and
25 the processing program division can clearly separated.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a schematic block diagram showing the
configuration of a page printer system,

Figs. 2A to 2E show specific screen views displaying
30 Web pages on an operation terminal unit,

Fig. 3 is a schematic diagram showing the
configuration of a CGI script in a prior art server,

Fig. 4 is a schematic diagram explaining the
configuration of a CGI script in a server according to
35 the present invention,

Fig. 5 is a diagram explaining the system
configuration of a server according to an embodiment of

the present invention,

Fig. 6 is a diagram showing a specific example of the configuration of a display control file in the embodiment of the present invention,

5 Fig. 7 is a diagram briefly explaining the processing by the server in the embodiment of the present invention,

Fig. 8 is a flow chart showing the processing by a CGI interpreter of the server according to the embodiment of the present invention,

Fig. 9 is a flow chart showing the processing by the CGI interpreter of the server which follows Fig. 8, and

Fig. 10 is a diagram showing a specific example of description on the display control file in relation to the registration of a user

DESCRIPTION OF THE PREFERRED EMBODIMENT

Before describing embodiments of the present invention, the related art and disadvantages thereof will be described with reference to the related figures.

20 In a page printer system shown in Fig. 1, a controller 1 and an operation terminal unit 2 such as a personal computer are connected to a LAN connected in turn to host computers. Then, a printer device 3 including a plurality of printers 1, 2 and a magnetic tape device 4 needed for an offline operation are connected to the controller 1, and the controller 1 can be provided with a flexible system configuration in which the controller 1 can mutually deal with a multiplicity of host computers and can be connected to a plurality of printers.

30 Specific examples of screen displays are shown in Figs. 2A to 2E, an interactive process is executed by using Web pages displayed on the screen of the operation terminal unit 2, which is on a client side. The specific display examples shown in Figs. 2A to 2E describe, for example, a case where a user is registered to use the page printer system, and Web pages that are to be

displayed on the screen of the operation terminal unit 2 in operational sequence are shown. Operations described therein are those needed when a system manager registers a new user who uses the system.

5 In a system like this, an operator performs operations required for registering a user following operation displays shown in Figs. 2A to 2E that are displayed on the operation terminal unit 2.

10 An initial display shown in Fig. 2A is displayed on the Web browser. An operation menu is displayed on this initial display which is required to execute the page printer system (in the following figures explaining the displays, only portions depending on the respective functions will be shown and other displays will be omitted). In the figure, for example, the "tape
15 printing" denotes a menu for executing printing from the magnetic tape device, and the "tape resource registration" denotes a menu for executing the acquisition of printing resources from the magnetic tape device to the controller.
20

 Here, the operator selects and presses a button for "system management" from the menu displayed on the screen. Then, the screen changes to a main display of the system management shown in Fig. 2B.

25 An operation menu required for the system management is shown on this main display. When a "user management" button among operation buttons displayed thereon is pressed, a user management display shown in Fig. 2C is displayed, and further when a "user registration" button
30 is pressed, then the screen changes to a user registration display.

 Here, when the operator presses a "registration" button after he or she has entered a user name and a password and entered again the password, the screen
35 changes to a registration completion display shown in Fig. 2E, and a required message such as "the user name "user01" has been registered" is displayed. The new user

is registered on the controller 1 through the operations of the operator described above, and from then on, the page printer system can be used with the user name so registered.

5 Fig. 3 shows the state of the CGI script in the controller 1 which functions as a server. As shown therein, the CGI script receives input information inputted from the Web page of the client, analyzes it and activates a processing program required in accordance
10 with the contents of the analysis. In addition, the CGI script also generates and processes an HTML document for informing the user of the results of the processing and outputs information thereon to the Web browser. Then, in the Web browser, the information is displayed on the Web
15 page and when the operator performs the following operation, the process advances to the following step.

 In the page printer described above, as described previously, the CGI script is integrally configured and it was not possible to modify only the display control of
20 the Web page. To cope with this, a page printer system according to the present invention is configured such that a description only for a display control division of the Web page can be changed.

 A mode for carrying out the present invention will
25 be described with reference to the accompanying drawings.

 A basic conceptual configuration according to an embodiment of the present invention will be described in Fig. 4. Additionally, a schematic configuration of a server for a page printer system adopting the basic
30 conceptual configuration is shown in Fig. 5.

 As shown in Fig. 3, in the prior art CGI script, the input analysis, execution of the processing program and display control are described in the state in which they are related to each other, but in the present invention,
35 as shown in Fig. 4, display control files are configured so as to be formed separately from input analysis and execution of processing programs exclusively for display

control with respect to Web pages.

A number of display control files are prepared so as to correspond to respective Web pages. Then, described in each display control file are the name of processing program, information displayed on the screen, information linked to a display and the like.

An operation will be described with respect to a case where a display control file corresponding to a Web page shown in Fig. 4 is applied to a server for a page printer system shown in Fig. 5.

As shown in Figs. 2A to 2E, when the operator makes selections following an operation menu displayed on each of the Web pages, information is inputted from a Web browser 2 on a client side, or the name of a display control file for executing the menu is sent to a server 1, and the operator can access a CGI script 12 via a WWW server 11 in the server 1. Then, a CGI interpreter 13 of the server 1 refers to a relevant display control file among a group 14 of display control files stored within the server 1 from the name of the display control file given from the client 2 side and starts analyzing the same. Then, required commands are executed and the results of the executions are sent to a Web page that is to be displayed on the screen of the client 2.

The display control file exists for each Web page and each file describes information required for the display of a related page. The respective display control files is constituted by a file control division and an HTML division which are separated from each other.

Here, Fig. 6 shows an example of a specific configuration for the display control.

A unique script is described in the file control division for commands on the relative Web page that are to be processed within the server 1 and page information to be displayed, in response to various situations, which is to be linked to next.

Fig. 6 shows an example of a unique script which is

described in the file control division. (a) describes a command name, and, based upon the command name, a command to be processed by the server is issued. (b) describes a switch control that is to be linked to another display control file, whereby a display control described under (c) is executed. In the example shown, it is designated that a file name described at 1 or 2 under (C) is referred to with a value of a variable of \$NPS-CMD-1. (d) describes that a display control file is to be executed which is designated for an abnormal termination of an issued command, and when this is outputted, the process does not advance to the HTML division.

Although it is not defined in the file configuration shown in Fig. 6, as in the case of a specific description example of a display control file for user registration shown in Fig. 10, in reality, comment statements such as a display control file name are described in the first three lines. A "#" is affixed to the head of the respective lines. Lines to which the "#" is affixed have nothing to do with execution. Then, there follows an "authorize" field designating an authorization check. This field describes to check if the operator has an executing authorization.

On the other hand, an HTML tag for basically displaying a relevant page, a JavaScript, is described in the HTML division. (e) describes that an HTML to be displayed is selected depending on a value, and it is designed that a statement corresponding to the value is referred to from HTMLs described at (f).

For example, in the case of a display control file for displaying a user registration completion display shown in Fig. 2E, an entered user name like "user01" needs to be displayed. A portion corresponding to "user01" in the message is dynamic information. Fig. 10 shows a specific description example in which the dynamic information needs to be embedded.

In a display control file related to displaying the

user registration completion display shown in Fig. 10, an HTML division is described after a file control division, and general HTML statements are described in the HTML division. Among them there is described a line to the head of which a "\$" is affixed. The reference symbol "\$" denotes that a portion needing to be replaced, i.e., a variable, is included in the description of the line.

In the example shown in Fig. 10, a case is shown in which a statement, "a user "user01" has been registered", is displayed in the user registration completion display. In this statement, the "user01" is dynamic information, and it is optionally entered by the user. Then, the "\$NPS-CGI-u\$" is described as a variable in the portion where the "user01" is described so that the "user01", the dynamic information, can be embedded. Here, the "\$" is affixed to before and after the variable so as to denote that the portion designated by them is a variable. The CGI interpreter 13 identifies from the "\$" so affixed that the description portion is a variable. Although it is possible to execute even if no "\$" is affixed to the head of the line, with the "\$" being affixed to the head as well, the processing speed can be improved.

The CGI interpreter 13 analyzes the description of a line to which the "\$" is affixed and identifies a variable portion. Then, following the description of "\$NPS-CGI-u\$", the "user01" entered by the user and stored in a portion corresponding to a parameter u is read out. Next, the CGI interpreter 13 creates an HTML for the "user01" and embeds it in the contents of a message described in an HTML division. Then, the message in which the dynamic information is embedded is outputted to the Web browser 11.

Thus, it is possible to describe a message to be embedded with dynamic information as well as a general HTML.

As has been described heretofore, the display control file is described separately in the file control

division and the HTML division, and written codes are described separately in a text format for each line.

Destinations to which respective pages are linked are realized by passing display control file names as parameters to the CGI script. In addition, the interpreter of the CGI script converts information that dynamically changes within a page into information to be displayed by using a unique status variable and script at the time of execution.

The CGI script analyzes the display control files described above and issues, as commands, operations needed, and the HTML and JavaScript described at the HTML division are outputted to the Web browser depending on the condition of execution for display.

The Web display control and the CGI script can be separated by configuring the display control files as described above, and since a reference is designed to be made from the display control files through I/Fs which are commands, even if the specification of a processing program is changed, nothing is affected thereby. In addition, even when looked at from the processing program side, since there is no need to be aware of the Web display control, even when the display specification such as a display design is changed, nothing is affected thereby.

Next, the operation of the interpreter 13 at the CGI script 12 will be described by using the display control files described above while referring to a process summary shown in Fig. 7 and process flows shown in Figs. 8 and 9.

A server 1 shown in Fig. 7 comprises a Web server division, a CGI interpreter division 13, a display control file division 14 and an environment variable division. Here, the relationship between the display control file division 14 and the interpreter division 13 will mainly be described, and an additional control division for functioning as a server is omitted.

Assume that the operator clicks on an operation menu for a Web page displayed on the Web browser on the screen of an operation terminal unit 2 which is a client. Then, prepared on the client side following what is entered by the operator are a command for activating the interpreter and a CGI parameter for a display control file corresponding to the entered operation menu, which are then outputted to a Web server of the server 1 (1).

When the Web server accepts the command for activating the interpreter and the CGI parameter from the client side, the Web server activates the interpreter by following the command (2). At the same time as this, the CGI parameter is written in the environment variable division.

Here, when the interpreter is activated, the process flow shown in Fig. 8 is initiated. In Step S1, first the interpreter takes out the CGI parameter from the environment variable division of the server (3), and following this, in Step S2, the name of a display control file is extracted from this parameter (4). Then, in Step S3, the display control file is opened based on the name of a display control file so extracted (5).

The display control file so opened is then analyzed (6). As shown in Fig. 6, the display control file is described in the text format separately in the file control and HTML divisions line by line. Then, in Step S4, whether or not an analyzing process has been completed for all the lines described in the display control file is checked.

Here, if all the lines described in the display control file have been read in for analyzing process (Y), then the process advances to Step S5, where the analyzing process is completed by closing the display control file which is then open.

On the contrary, if all the lines described in the display control file have not yet been read in (N), first, a line described in the display control file is

read (Step S6). If it is described in the text format, a portion continuing to where a line feed mark is provided is read as a line.

5 In analyzing the display control file with the interpreter, the lines described in the file are to be read sequentially line by line from the head line in the file. Then, first reading is started with the file control division, and whether the reading of the HTML division has been started or not is determined (Step S7).

10 Here, in the event that the line read is still a part of the file control division (N), whether or not the description in the line is a command is determined (Step S8).

15 In reality, as shown in Fig. 10, comment statements such as the name of the display control file are described in the first three lines. Then, described next is an authorization check. Furthermore, for example, in the case of a display control file related to the operations shown in Figs. 2A to 2E, a command for user registration is described as shown at (a) in Fig. 6 and Fig. 10.

20 When the file control division is described as shown, since the first line is not a command (N), the process advances to Step S12, but since the first line is not a switch control, nor (N), then the process returns to Step S4, where the following line is started to be read.

25 In the event that the file is configured as described in Fig. 10, since the description in the fifth line is about the authorization check, then the process advances up to Step S10, and in Step S11, checking on whether there has been given an authorization for access is executed, and then the process returns to Step S4, where the following line is started to be read.

30 Then, in the event that the read line is the user registration command as shown at (a) in Fig. 6 and in the seventh line in Fig. 10, in Step S8, the description in

question is determined as a command (Y), and in Step S9, the command is executed (as shown at (7) in Fig. 7). When the command has been executed, then the process returns to Step S4, where the following line is read.

5 Then, since the read line designates a switch control as shown at (b) in Fig. 6, in Step S12, the line is determined as the switch control (Y), in Step S13, the switch control is executed based on a value described. When the execution is completed, the process returns to
10 Step S4.

As shown in Figs. 6 and 10, the HTML division is described following to the file control division in the display control file. Since a line read thereafter is then determined as one of the descriptions in the HTML
15 division in Step S7 (Y), the process advances to Step S14.

Then, in Step S14, in the event that the description is determined as a description needing no dynamic information to be embedded (N), then the process advances
20 to Step S16, where the interpreter outputs the HTML that it has read in as it is (9).

On the other hand, in the display control file shown in Fig. 10, as shown for example in Fig. 2E, the dynamic information on the "user01" needs to be embedded. Then,
25 in Step S15, in the event that the description of the line so read needs such dynamic information to be embedded (Y), in Step S17, the dynamic information of the "user01" is embedded in an HTML (8), and the interpreter outputs the HTML that it has created for output (9).

30 Thus, in this way, the interpreter reads the descriptions on the display control file line by line from the beginning thereof, analyses the display control file and executes the commands or outputs the HTML that it has read or embedded therein. Then, in Step S4, in
35 the event that the interpreter reads all the lines described in the display control file and completes the analysis thereof (Y), the process advances to Step S5,

where the display control file is closed to end the process.

5 Then, the Web server receives the HTMLs from the interpreter and outputs to the Web browser of the client (10), where the output so outputted is displayed on the Web page (11).

10 As has been described heretofore, according to the present invention, in the server for the interactive system in which inputs are made through the Web browser and the processing of the inputs is carried out on the server side, the division related to the screen display and the division adapted to operate as the CGI script are separately configured, whereby the Web page control and CGI script can be executed through the passage of
15 parameters. Then, in the event that the specification of the screen display is changed, the display control file will only have to be modified, and therefore no other processing programs are affected and, even if
20 modifications are made at other locations, nothing is affected thereby.

25 According to the present invention, the source files for the Web display control division, the CGI script division and the processing program division are clearly separated and can be developed in parallel, and therefore, the development efficiency can be improved and the source management with a high maintainability is made possible, as a result of which the system quality is improved, and therefore the present invention contributes to end users.

What is claimed is:

1. A processor connected via a network system to an operation terminal unit in which inputs are made through a Web browser and having at least a Web server division, a CGI script control division and a processing program division, said processor having;

a display control file describing therein display control information for a Web page that is displayed on said operation terminal unit, wherein

said CGI script division analyzes the description on said display control file which is designated by said Web browser, executes for processing said processing program following said description of said display control file and outputs display control information on said display control file to said Web browser based on the result of said processing.

2. A processor as set forth in Claim 1, wherein, in said display control file, said display control information is described separately in a file control division and an HTML division.

3. A processor as set forth in Claim 1, wherein said CGI script control division reads said display control information for each line and executes an analyzing process.

4. A process as set forth in Claim 2, wherein said CGI script control division embeds in an HTML output dynamic information related to the display of said Web page following the description in said HTML division and outputs the HTML output to said Web server division.

PROCESSOR

5

ABSTRACT OF THE DISCLOSURE

10

In a source file for a server, a Web display control division, a CGI script division and a processing program division are separated.


15

The server has a Web server division, a CGI script control division and a processing program division and constitutes an interactive system together with an operation terminal unit in which inputs are made through a Web browser. A display control file describing Web page control information is provided for each Web page to be displayed, and the CGI script control division analyzes the description of the said display control file designated by said Web browser, executes said processing program following the description and outputs the result of the processing from Web server division to said Web browser. The name of processing programs activated for collection of information for the display of a Web page and control of the system and a method for displaying the result of such processing on the Web page are described in a script format in the display control file.

25

Fig.2A

2/14






Fig.2B

Fig.2C

4/14




Fig.2D

USER REGISTRATION

(USER REGISTRATION DISPLAY)

USER NAME

:

PASSWORD

:

RE-ENTRY OF PASSWORD :

REGISTER

RETURN TO IMMEDIATELY
PREVIOUS DISPLAY

RETURN TO THE SYSTEM
MANAGEMENT DISPLAY

Fig.2E

6/14

USER REGISTRATION
COMPLETION

(USER REGISTRATION)
(COMPLETION DISPLAY)

USER "user01" HAS BEEN REGISTERED

TO MAKE EFFECTIVE THE CONTENTS SET,
THE CONTROL DEVICE NEEDS TO BE RE-ACTIVATED

OK

Fig.3




Fig.4




Fig.5




Fig.6

【FILE CONTROL DIVISION】
 (DESCRIBE A UNIQUE SCRIPT)

(a) command xxxxxxxxxxxx
 (b) switch \$NPS_CMD_1
 (c) 1 goto xxxxxxxxxxxx
 2 goto xxxxxxxxxxxx
 end

(d) error xxxxxxxxxxxx
【HTML DIVISION】
 (DESCRIBE HTML, JavaScript)
 <html>

(e) \$NPS_switch \$NPS_CGI_para
 (f) 1 _____
 2 _____
 end

 </html>

Fig.7




Fig.8




Fig.9




Fig.10

```
# DISPLAY CONTROL FILE NAME: sysUserRegisterComplete
# SUMMARY : DISPLAY USER REGISTRATION COMPLETION DISPLAY
# REMARKS :

# AUTHORIZATION CHECK
authorize manager

# USER REGISTRATION
command npsusermanager
# ABNORMAL PROCESSING
error sysUserRegister

[htmlStart]

<html>
<head>
<title> SYSTEM MANAGEMENT </title>
<meta http-equiv="Content-Type" content="text/html; charset=x-sjis">
(OMITTED)
$ <table width="75%" border="0" cellspacing="0" cellpadding="0">
    <tr valign="bottom" align="center">
        <td height="150" class="screenText13">
            USER "$NPS-CGI-u$" HAS BEEN REGISTERED </td>
        </tr>
(OMITTED)
</body>
</html>
```

00-50095

Docket No. _____

ARMSTRONG, WESTERMAN, HATTORI, McLELAND & NAUGHTON

Declaration and Power of Attorney for U.S. Patent Application

特許出願宣言書及び委任状

Japanese Language Declaration

日本語宣言書

下記の氏名の発明者として、私は以下の通り宣言します。

As a below named inventor, I hereby declare that:

私の住所、私書箱、国籍は下記の私の氏名の後に記載された通りです。

My residence, post office address and citizenship are as stated next to my name.

下記の名称の発明に関して請求範囲に記載され、特許出願している発明内容について、私が最初かつ唯一の発明者（下記の氏名が一つの場合）もしくは最初かつ共同発明者であると（下記の名称が複数の場合）信じています。

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

PROCESSOR

上記発明の明細書（下記の欄でx印がついていない場合は、本書に添付）は、

the specification of which is attached hereto unless the following box is checked:

☐ 月 日に提出され、米国出願番号または特許協定条約国際出願番号を _____ とし、
（該当する場合） _____ に訂正されました。

☐ was filed on _____
as United States Application Number or
PCT International Application Number
_____ and was amended on
_____ (if applicable).

私は、特許請求範囲を含む上記訂正後の明細書を検討し、内容を理解していることをここに表明します。

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

私は、連邦規則法典第37編第1条56項に定義されたとおり、特許資格の有無について重要な情報を開示する義務があることを認めます。

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

Japanese Language Declaration

(日本語宣言書)

私は、米国法典第35編119条(a)-(d)項又は365条(b)項に基づき下記の、米国外の国の少なくとも一カ国を指定している特許協力条約365(a)項に基づく国際出願、又は外国での特許出願もしくは発明者証の出願についての外国優先権をここに主張するとともに、優先権を主張している、本出願の前に出願された特許または発明者証の外国出願を以下に、枠内をマークすることで、示しています。

Prior Foreign Application(s)

外国での先行出願

2000-054114(Pat.Appln.) Japan

(Number)
(番号)

(Country)
(国名)

(Number)
(番号)

(Country)
(国名)

私は、第35編米国法典119条(e)項に基づいて下記の米国外特許出願規定に記載された権利をここに主張いたします。

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、下記の米国法典第35編120条に基づいて下記の米国外特許出願に記載された権利、又は米国外を指定している特許協力条約365条(c)に基づき権利をここに主張します。また、本出願の各請求範囲の内容が米国法典第35編112条第1項又は特許協力条約で規定された方法で先行する米国外特許出願に開示されていない限り、その先行米国外出願書提出日以降で本出願書の日本国内または特許協力条約国際提出日までの期間中に入手された、連邦規則法典第37編1条56項で定義された特許資格の有無に関する重要な情報について開示義務があることを認識しています。

(Application No.)
(出願番号)

(Filing Date)
(出願日)

(Application No.)
(出願番号)

(Filing Date)
(出願日)

私は、私自身の知識に基づいて本宣言書中で私が行なう表明が真実であり、かつ私の入手した情報と私の信じていること、さらに故意にされた虚偽の表明及びそれと同等の行為は米国法典第18編第1001条に基づき、罰金または拘禁、もしくはその両方により処罰されること、そしてそのような故意による虚偽の表明を行えば、出願した、又は既に許可された特許の有効性が失われることを認識し、よってここに上記のごとく宣誓を致します。

I hereby claim foreign priority under Title 35, United States Code, Section 119 (a)-(d) or 365(b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or PCT International application having a filing date before that of the application on which priority is claimed.

Priority Not Claimed

優先権主張なし

29/February/2000

(Day/Month/Year Filed)
(出願年月日)

☐

(Day/Month/Year Filed)
(出願年月日)

☐

I hereby claim the benefit under Title 35, United States Code, Section 119(e) of any United States provisional application(s) listed below.

(Application No.)
(出願番号)

(Filing Date)
(出願日)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s), or 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56 which became available between the filing date of the prior application and the national or PCT International filing date of application.

(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)

(Status: Patented, Pending, Abandoned)
(現況: 特許許可済、係属中、放棄済)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Japanese Language Declaration
(日本語宣言書)

- 委任状： 私は下記の発明者として、本出願に関する一切の手続きを米特許商標局に対して遂行する弁理士または代理人として、下記の者を指名いたします。（弁護士、または代理人の氏名及び登録番号を明記のこと）

POWER OF ATTORNEY: As a named inventor, I hereby appoint the following attorney(s) and/or agent(s) to prosecute this application and transact all business in the Patent and Trademark Office connected therewith (*list name and registration number*)
See list of attorneys and/or agents on page 5.

書類送付先

Send Correspondence to:

ARMSTRONG, WESTERMAN, HATTORI,
McLELAND & NAUGHTON
1725 K Street, N.W., Suite 1000
Washington, D.C. 20006

直接電話連絡先：（名前及び電話番号）

Direct Telephone Calls to: (*name and telephone number*)

Telephone: (202) 659-2930 Fax: (202) 887-0357

唯一または第一発明者名		Full name of sole or first inventor Yasuhito Taira	
発明者の署名	日付	Inventor's signature <i>Yasuhito Taira</i>	Date October 23, 2000
住所		Residence Yokohama, Japan	
国籍		Citizenship Japanese	
私書箱		Post Office Address c/o FUJITSU PROGRAM LABORATORIES LIMITED, 2-4-19, Shinyokohama, Kouhoku-ku, Yokohama-shi, Kanagawa 222-0033, Japan	
第二共同発明者		Full name of second joint inventor, if any	
第二共同発明者	日付	Second inventor's signature	Date
住所		Residence	
国籍		Citizenship	
私書箱		Post Office Address	

（第三以降の共同発明者についても同様に記載し、署名をすること）

(Supply similar information and signature for third and subsequent joint inventors.)

第三共同発明者		Full name of third joint inventor, if any	
第三発明者の署名	日付	Third inventor's signature	Date
住所		Residence	
国籍		Citizenship	
私書箱		Post Office Address	
第四共同発明者		Full name of fourth joint inventor, if any	
第四発明者の署名	日付	Fourth inventor's signature	Date
住所		Residence	
国籍		Citizenship	
私書箱		Post Office Address	
第五共同発明者		Full name of fifth joint inventor, if any	
第五発明者の署名	日付	Fifth inventor's signature	Date
住所		Residence	
国籍		Citizenship	
私書箱		Post Office Address	
第六共同発明者		Full name of sixth joint inventor, if any	
第六発明者の署名	日付	Sixth inventor's signature	Date
住所		Residence	
国籍		Citizenship	
私書箱		Post Office Address	

List of attorneys and/or agents

James E. Armstrong, III, Reg. No. 18,366; William F. Westerman, Reg. No. 29,988; Ken-Ichi Hattori, Reg. No. 32,861; Le-Nhung McLeland, Reg. No. 31,541; Ronald F. Naughton, Reg. No. 24,616; John R. Pegan, Reg. No. 18,069; William G. Kratz, Jr., Reg. No. 22,631; James P. Welch, Reg. No. 17,379; Albert Tockman, Reg. No. 19,722; Mel R. Quintos, Reg. No. 31,898; Donald W. Hanson, Reg. No. 27,133; Stephen G. Adrian, Reg. No. 32,878; William L. Brooks, Reg. No. 34,129; John F. Carney, Reg. No. 20,276; Edward F. Welsh, Reg. No. 22,455; Patrick D. Muir, Reg. No. 37,403; Gay A. Spahn, Reg. No. 34,978; John P. Kong, Reg. No. 40,054; and Luke A. Kilyk, Reg. No. 33,251.